

**RECEIVED  
CENTRAL FAX CENTER**

APR 28 2006

**FACSIMILE COVER SHEET****CONFIDENTIAL AND PRIVILEGED**

If there are any problems with this transmission, please call:

- Central Fax Room: 206 359-8575     \*Sender's name and phone number  
 Galland Reception: 206 359-8000  
 Floor 41, Brenda Canada, Ext. 3750

1201 Third Avenue, Suite 4800  
Seattle, WA 98101-3099  
PHONE 206.359.8000  
FAX: 206.359.9000  
www.perkinscoie.com

DATE: April 28, 2006 COVER SHEET & 2 PAGE(S)

CLIENT NUMBER: 59472-8804-US0000

RETURN TO: (NAME) Brenda Canada (EXT.) 3750 (ROOM NO.) 4185

ORIGINAL DOCUMENT(S) WILL BE:  SENT TO YOU     HELD IN OUR FILES

SENDER:	TELEPHONE:	FACSIMILE:
Attila K. Kovacs-Szabo	(206) 359-8516	(206) 359-9516

RECIPIENT:	COMPANY:	TELEPHONE:	FACSIMILE:
D.W. Ferris	USPTO - Art Unit 2663	(571) 272-3123	(571) 273-8300
D.W. Ferris	USPTO - Art Unit 2663	(571) 272-3123	(571) 273-3123

RE: **Response to Interview Summary**  
**Application No. 09/989,580**  
**Our Docket 594728804US**

Dear Examiner Ferris:

Attached is the Response to Interview Summary discussed with Christopher Daley-Watson on April 28, 2006. Please do not hesitate to contact us should have questions.

Sincerely,

*Attila Kovacs-Szabo*  
Attila Kovacs-Szabo  
Paralegal

This Fax contains confidential, privileged information intended only for the intended addressee. Do not read, copy or disseminate it unless you are the intended addressee. If you have received this Fax in error, please email it back to the sender at [perkinscoie.com](mailto:perkinscoie.com) and delete it from your system or call us (collect) immediately at 206.359.8575, and mail the original Fax to Perkins Coie LLP, 1201 Third Avenue, Suite 4800, Seattle, WA 98101-3099.

ANCHORAGE • BEIJING • BELLEVUE • BOISE • CHICAGO • DENVER • LOS ANGELES  
MENLO PARK • OLYMPIA • PHOENIX • PORTLAND • SAN FRANCISCO • SEATTLE • WASHINGTON, D.C.  
Perkins Coie LLP and Affiliates

[FAXCOVER.01]

PAGE 1/3 \*RCVD AT 4/28/2006 6:48:24 PM [Eastern Daylight Time]\* SVR:USPTO-EFXRF-1/0 \*DNIS:2733123 \*CSID:206 359 9000 \*DURATION (mm:ss):01:06

RECEIVED  
CENTRAL FAX CENTER

APR 28 2006

I hereby certify that this correspondence was faxed to: MS Amendment, Commissioner for Patents, fax No. (571) 273-8300, and to Examiner D.W. Ferris, fax No. (571) 273-3123, on the date shown below.

Dated: April 28, 2006

Signature: 

Docket No.: 594728804US

## PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE PATENT APPLICATION OF: KIM ET AL.

APPLICATION NO.: 09/989,580

FILED: NOVEMBER 20, 2001

FOR: BIDIRECTIONAL BRIDGE CIRCUIT HAVING  
HIGH COMMON MODE REJECTION AND  
HIGH INPUT SENSITIVITY

EXAMINER: D. W. FERRIS

ART UNIT: 2663

CONF. NO: 9737

Response to Interview Summary

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The present communication responds to the telephone interview conducted in the above-identified application on April 28, 2006. Applicants hereby confirm the account in that Interview Summary of the substance of the telephone interview.


The undersigned attorney for the applicants, Christopher Daley-Watson, wishes to thank Examiner Ferris for the telephone interview conducted today, April 28, 2006. During the interview, it was agreed that rejected claims 18-23 would be canceled, to allow claims 1-17 and 24 to issue, and that Examiner Ferris will

cancel claims 18-23 by examiner's amendment. The necessary two-month extension of time and associated fee will be covered by the Authorization For Extension Of Time Under 37 C.F.R. § 1.136(a)(3) And Fee Transmittal, filed on November 20, 2001. If the Examiner believes that any additional information regarding the interview is necessary, please let the undersigned attorney know.

If the Examiner has any questions, the Examiner is encouraged to call the undersigned at (206) 359-3599.

Respectfully submitted,

Perkins Coie LLP

  
Christopher J. Daley-Watson  
Registration No. 34,807

Date: 4/28/06

Correspondence Address:  
Customer No. 25096  
Perkins Coie LLP  
P.O. Box 1247  
Seattle, Washington 98111-1247  
(206) 359-8000